

# TABLE 4 HAZARDOUS MATERIALS

4/27/2018

## MARINE DRIVE DISTRIBUTION CENTER I

TENANT		BUILDING			DATE			
SOLOPOWER, INC.			400102		2/1/2017			
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE			
1	LOCATION	WAREHOUSE			1			
	MATERIAL #	MATERIAL NAME		QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN	
	1	ARGON		5	100.00 POUND(S)	Yes	No	
	2	NITROGEN		2	100.00 POUND(S)	Yes	No	
	3	HELIUM		3	100.00 POUND(S)	Yes	No	
	4	OXYGEN/ARGON BLEND		6	100.00 POUND(S)	Yes	No	
	5	SODIUM HYROXIDE		2	5.00 GALLON(S)	Yes	No	
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE			
2	LOCATION	SHIPPING & RECEIVING FLAMMABLE-RATED CABINETS (TWO)			1			
	MATERIAL #	MATERIAL NAME		QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN	
	1	ISOPROPYL ALCOHOL		8	4.00 LITER(S)	Yes	No	
	2	ACETONE		2	4.00 LITER(S)	Yes	No	
	3	SCREENPRINTING INK		10	1.00 QUART(S)	Yes	No	
	4	ACETIC ACID		2	1.00 GALLON(S)	Yes	No	
	5	AIR TOOL OIL		1	1.00 QUART(S)	Yes	No	
	6	LUBRICANT		2	16.00 OUNCE(S)	Yes	No	
	7	INLAND 77 VACUUM PUMP OIL		2	5.00 GALLON(S)	Yes	No	
	8	METHYL ETHYL KETONE		1	1.00 QUART(S)	Yes	No	
	9	LIQUINOX		1	1.00 GALLON(S)	Yes	No	

### NOTES:

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.

SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.

LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

# TABLE 4 - Continued HAZARDOUS MATERIALS

4/27/2018

## MARINE DRIVE DISTRIBUTION CENTER I

TENANT			BUILDING		DATE	
SOLOPOWER, INC.			400102		2/1/2017	
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
3	LOCATION	EXTERIOR EMERGENCY POWER GENERATOR			1	
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	DIESEL FUEL (AST)	1	275.00 GALLON(S)	Yes	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
4	LOCATION	EXTERIOR			1	
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	LIQUID NITROGEN (AST)	1	6,000.00 GALLON(S)	Yes	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
5	LOCATION	WASTEWATER NEUTRALIZATION ROOM ACID-RATED CABINET			1	
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	NITRIC ACID	25	2.50 LITER(S)	Yes	No
	2	BUFFER SOLUTION	7	500.00 MILLILITER(S)	Yes	No
	3	ICP-OES WAVECAL	1	500.00 MILLILITER(S)	Yes	No
	4	BASE NEUTRALIZER	1	3.00 LITER(S)	Yes	No
	5	HYDROCHLORIC ACID	3	2.50 LITER(S)	Yes	No
	6	SELENIUM-NITRIC ACID SOLUTION	4	125.00 MILLILITER(S)	Yes	No
	7	HYDROCHLORIC ACID	10	4.00 LITER(S)	Yes	No
	8	NITRIC ACID	1	4.00 LITER(S)	Yes	No

### NOTES:

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.

SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.

LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

# TABLE 4 - Continued HAZARDOUS MATERIALS

4/27/2018

## MARINE DRIVE DISTRIBUTION CENTER I

TENANT			BUILDING		DATE	
SOLOPOWER, INC.			400102		2/1/2017	
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
6	LOCATION	SCREEN WASH ROOM			1	
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	EASI-SOLV SOLVENT CLEANER	1	55.00 GALLON(S)	No	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
7	LOCATION	SCREEN WASH ROOM FLAMMABLE-RATED CABINET			1	
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	AQ-PRESS WASH	1	55.00 GALLON(S)	Yes	No
	2	GLYCOL ETHER	1	55.00 GALLON(S)	Yes	No
	3	INK	1	1.00 LITER(S)	Yes	No
	4	ISOPROPYL ALCOHOL	1	5.00 GALLON(S)	Yes	No
	5	ELECTRODAG PD-038A	2	4.00 KILOGRAM(S)	Yes	No
	6	INK	2	4.00 KILOGRAM(S)	Yes	No
	7	EASI SOLV 140 SOLVENT CLEANER	3	5.00 GALLON(S)	Yes	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
8	LOCATION	PLATING AREA - HAZARDOUS WASTE ACCUMULATION AREA ACID-RATED CABINET			1	
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	SELENIOUS ACID-SODIUM SELENITE SOLUTION	1	55.00 GALLON(S)	Yes	No
	2	UNLABELLED CORROSIVE LIQUID	1	5.00 GALLON(S)	Yes	No

### NOTES:

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.

SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.

LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

# TABLE 4 - Continued HAZARDOUS MATERIALS

4/27/2018

## MARINE DRIVE DISTRIBUTION CENTER I

TENANT		BUILDING			DATE		
SOLOPOWER, INC.			400102		2/1/2017		
	ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
	9	LOCATION	WASTEWATER NEUTRALIZATION ROOM			1	
		MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
		1	COPPER SOLUTION NEUTRAL	2	330.00 GALLON(S)	Yes	No
		2	COPPER SULFATE	1	55.00 GALLON(S)	Yes	No
		3	HYDRAULIC OIL	1	55.00 GALLON(S)	Yes	No
		4	LIQUID CAUSTIC SODA	1	250.00 GALLON(S)	No	No
		5	SULFURIC ACID (AST)	1	400.00 GALLON(S)	Yes	No
		6	AMMONIA SOLUTION 28%	3	275.00 GALLON(S)	No	No
		7	COPPER SULFATE-SULFURIC ACID	1	275.00 GALLON(S)	Yes	No
		8	THIO-RED (POLYTHIOCARBONATE)	4	55.00 GALLON(S)	No	No
		9	ANTI-STATIC CLEANER	4	5.00 GALLON(S)	Yes	No
		10	INDIUM TRICHLORIDE	7	200.00 LITER(S)	Yes	No
		11	ACETONE	1	946.00 MILLILITER(S)	Yes	No
		12	THIO UREA A	1	275.00 GALLON(S)	Yes	No
		13	THIO-RED	1	43.00 POUND(S)	Yes	No
		14	LIQUID CAUSTIC SODA	1	55.00 GALLON(S)	No	No
		15	SULFURIC ACID	5	55.00 GALLON(S)	No	No
		16	SODIUM HYPOCHLORITE	1	55.00 GALLON(S)	No	No

### NOTES:

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.

SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.

LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

**TABLE 4 - Continued  
HAZARDOUS MATERIALS**

4/27/2018

**MARINE DRIVE DISTRIBUTION CENTER I**

TENANT		BUILDING		DATE		
SOLOPOWER, INC.		400102		2/1/2017		
	17	EFFLUENT EQUALIZATION LIQUID	1	1,400.00 GALLON(S)	No	No
	18	HYDROGEN PEROXIDE	1	25.00 LITER(S)	No	No
	19	COPPER SOLUTION	1	55.00 GALLON(S)	No	No
	20	SULFURIC ACID	2	10.00 GALLON(S)	No	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION		PRACTICE		
10	LOCATION	WASTEWATER NEUTRALIZATION ROOM ACID-RATED CABINET		1		
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	ACID NEUTRALIZER	1	4.00 LITER(S)	Yes	No
	2	BUFFER SOLUTION	2	1.00 GALLON(S)	Yes	No
	3	DELIMER	8	1.00 GALLON(S)	Yes	No

**NOTES:**

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.

SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.

LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

# TABLE 4 - Continued HAZARDOUS MATERIALS

4/27/2018

## MARINE DRIVE DISTRIBUTION CENTER I

TENANT		BUILDING			DATE	
SOLOPOWER, INC.			400102		2/1/2017	
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
11	LOCATION	CHILLER ROOM			1	
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	MH-490 GLUTARALDEHYDE	2	5.00 GALLON(S)	No	No
	2	GRO PRO HYDRONIC WATER TREATMENT	4	5.00 GALLON(S)	No	No
	3	MH-1509 BROMINE SOLUTION	1	55.00 GALLON(S)	No	No
	4	AQUASEPT	2	5.00 GALLON(S)	Yes	No
	5	PERLITE	3	16.00 POUND(S)	No	No
	6	PROTECT 514	3	51.00 POUND(S)	No	No
	7	ROC 20 KBT	1	56.00 POUND(S)	No	No
	8	TRASAR(R) TRAC 106	1	20.00 KILOGRAM(S)	No	No
	9	SODIUM METABI-SULFITE WASTEWATER TREATMENT	1	5.00 GALLON(S)	No	No
	10	TT 5 CORROSION INHIBITOR	6	1.00 GALLON(S)	No	No
	11	NAPA ANTIFREEZE	2	2.00 GALLON(S)	No	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
12	LOCATION	WAREHOUSE CAGE STORAGE			1	
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	ELECTRODAG PD-038A	20	4.00 KILOGRAM(S)	No	No

### NOTES:

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.

SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.

LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

# TABLE 4 - Continued HAZARDOUS MATERIALS

4/27/2018

## MARINE DRIVE DISTRIBUTION CENTER I

TENANT		BUILDING			DATE	
SOLOPOWER, INC.			400102		2/1/2017	
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
13	LOCATION	SCREEN PRINTING ROOM			1	
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	SILVER PASTE	3	1.00 KILOGRAM(S)	Yes	No
	2	MAKE-UP INK	15	1.00 LITER(S)	No	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
14	LOCATION	CHILLER ROOM FLAMMABLE-RATED CABINET			1	
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	SPRAY PAINT	3	15.00 OUNCE(S)	Yes	No
	2	GREASE	2	4.00 KILOGRAM(S)	Yes	No
	3	PAINT	10	1.00 GALLON(S)	Yes	No
	4	TURBINE OIL	1	5.00 GALLON(S)	Yes	No
	5	SIKAFLEX SEALANT	50	10.00 OUNCE(S)	Yes	No
	6	PAINT	1	5.00 GALLON(S)	Yes	No
	7	CHILLER COOLANT	1	1.00 GALLON(S)	Yes	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
15	LOCATION	FIRE PUMP ROOM			1	
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	DIESEL (AST)	1	90.00 GALLON(S)	Yes	No
	2	DIESEL (AST)	1	119.00 GALLON(S)	No	No

### NOTES:

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.

SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.

LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

# TABLE 4 - Continued HAZARDOUS MATERIALS

4/27/2018

## MARINE DRIVE DISTRIBUTION CENTER I

TENANT			BUILDING		DATE		
SOLOPOWER, INC.			400102		2/1/2017		
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE		
16	LOCATION	CADMIUM SULFIDE DEPOSITION AREA			1		
	MATERIAL #	MATERIAL NAME		QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	THIOUREA POWDER		10	50.00 KILOGRAM(S)	Yes	No
	2	CADMIUM SULFATE		10	15.00 KILOGRAM(S)	Yes	No
	3	AMMONIUM HYDROXIDE		4	1,040.00 LITER(S)	Yes	No
	4	SULFURIC ACID		3	200.00 LITER(S)	No	No
	5	HYDROCHLORIC ACID		1	200.00 LITER(S)	Yes	No
	6	CAUSTIC SODA		1	200.00 LITER(S)	Yes	No
	7	CADMIUM SULFATE		6	50.00 KILOGRAM(S)	Yes	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE		
17	LOCATION	NORTHERN CHEMICAL STORAGE AREA			1		
	MATERIAL #	MATERIAL NAME		QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	SELENIUM BEADS		1	14.50 KILOGRAM(S)	Yes	No
	2	PV412 CONDUCTOR PASTE		62	1.00 KILOGRAM(S)	Yes	No
	3	SELENIUM SHOT		3	20.00 KILOGRAM(S)	No	No
	4	GALLIUM OXIDE		3	1.00 KILOGRAM(S)	No	No
	5	GALLIUM OXIDE		2	10.00 KILOGRAM(S)	No	No

### NOTES:

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.

SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.

LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area



**TABLE 4 - Continued**  
**HAZARDOUS MATERIALS**

4/27/2018

**MARINE DRIVE DISTRIBUTION CENTER I**

TENANT		BUILDING		DATE		
SOLOPOWER, INC.		400102		2/1/2017		
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION		PRACTICE		
18	LOCATION	SHIPPING & RECEIVING BASE-RATED CABINET		1		
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	BUFFER SOLUTION	16	500.00 MILLILITER(S)	Yes	No
	2	CORROSION INHIBITOR	1	1.00 GALLON(S)	Yes	No
	3	TRISODIUM PHOSPHATE	7	4.50 POUND(S)	Yes	No
	4	ACID NEUTRALIZER	4	1.00 LITER(S)	Yes	No
	5	POLY CLEANER MIX 30	3	0.50 GALLON(S)	Yes	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION		PRACTICE		
19	LOCATION	COMPRESSOR ROOM		1		
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	TURBINE OIL G8	1	5.00 GALLON(S)	No	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION		PRACTICE		
20	LOCATION	OUTSIDE OF WAREHOUSE CAGE STORAGE		1		
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
	1	BUFFER SOLUTIONS	22	55.00 GALLON(S)	No	No

**NOTES:**

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.

SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.

LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

# TABLE 4 - Continued HAZARDOUS MATERIALS

4/27/2018

## MARINE DRIVE DISTRIBUTION CENTER I

TENANT			BUILDING			DATE	
SOLOPOWER, INC.			400102			2/1/2017	
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE		
21	LOCATION	WAREHOUSE/PRODUCTION FLAMMABLE-RATED CABINET			1		
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN	
	1	LEYBONAL PUMP OIL	1	1.00 LITER(S)	Yes	No	
	2	PAINT	1	1.00 GALLON(S)	Yes	No	
	3	LUBRICATING GREASE	4	350.00 GRAM(S)	Yes	No	
	4	SPRAY PAINT	2	15.00 OUNCE(S)	Yes	No	
	5	SPRAY DEGREASER	1	15.00 OUNCE(S)	Yes	No	
	6	GEAR OIL	2	1.00 GALLON(S)	Yes	No	
	7	OIL CUTTING FLUID	2	16.00 OUNCE(S)	Yes	No	
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE		
22	LOCATION	WAREHOUSE/PRODUCTION			1		
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN	
	1	LIQUID NITROGEN	2	250.00 MILLILITER(S)	No	No	
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE		
23	LOCATION	SHIPPING & RECEIVING			1		
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN	
	1	CITRAJET CLEANER	8	1.00 GALLON(S)	No	No	

### NOTES:

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.

SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.

LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

**TABLE 4 - Continued  
HAZARDOUS MATERIALS**

4/27/2018

**MARINE DRIVE DISTRIBUTION CENTER I**

TENANT		BUILDING			DATE		
SOLOPOWER, INC.		400102			2/1/2017		
	ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE	
	24	LOCATION	PLATING AREA - HAZARDOUS WASTE ACCUMULATION AREA			1	
		MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	SEC/SPILL CON	LEAK/STAIN
		1	SELENIOS ACID-SODIUM SELENITE SOLUTION	1	55.00 GALLON(S)	No	No
		2	SELENIOS ACID-SODIUM SELENITE SOLUTION	1	5.00 GALLON(S)	No	No

**NOTES:**

PRACTICE refers to the overall condition and hazardous materials management practice for the listed location observed during the tenant inspection.

SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous materials.

LEAK/STAIN refers to observed leakage from and/or staining by a hazardous material container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

**TABLE 5**  
**HAZARDOUS WASTES**

4/27/2018

**MARINE DRIVE DISTRIBUTION CENTER I**

TENANT		BUILDING			DATE			
SOLOPOWER, INC.				400102		2/1/2017		
ACTIVITY #		ACTIVITY TYPE	DESCRIPTION			PRACTICE		
1		LOCATION	PLATING AREA - HAZARDOUS WASTE ACCUMULATION AREA			1		
		MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	DISPOSAL METHOD	SEC/SPILL CON	LEAK/STAIN
		1	WASTE GALLIUM	1	300.00 GALLON(S)	OFF-SITE	Yes	No
		2	WASTE INDIUM	7	300.00 GALLON(S)	OFF-SITE	Yes	No
		3	WASTE SELENIUM	2	300.00 GALLON(S)	OFF-SITE	Yes	No
		4	WASTE SELENIUM	4	55.00 GALLON(S)	OFF-SITE	Yes	No
		5	SOLID SELENIUM & CADMIUM FILTERS & WASTE (APPROX.)	6	250.00 GALLON(S)	OFF-SITE	No	No
		6	WASTE CORROSIVE	1	275.00 GALLON(S)	OFF-SITE	No	No
		7	RECLAIMED INDIUM PLATING SOLUTION	10	275.00 GALLON(S)	OFF-SITE	Yes	No
		8	178-SE SOAK POTASSIUM HYDROXIDE CLEANER	10	5.00 GALLON(S)	OFF-SITE	No	No
		9	SULFURIC ACID	1	275.00 GALLON(S)	OFF-SITE	No	No
		10	INDIUM TRICHLORIDE	3	150.00 LITER(S)	OFF-SITE	Yes	No
		11	INDIUM TRICHLORIDE	1	275.00 GALLON(S)	OFF-SITE	No	No
		12	MURIATIC ACID	2	55.00 GALLON(S)	OFF-SITE	Yes	No
		13	GALLIUM PLATING	1	275.00 GALLON(S)	OFF-SITE	Yes	No
		14	CCI DEFOAMER 1030	1	5.00 GALLON(S)	OFF-SITE	No	No
		15	GALLIUM SOLUTION	4	55.00 GALLON(S)	OFF-SITE	No	No
		16	INDIUM SULFATE	1	55.00 GALLON(S)	OFF-SITE	No	No
		17	UNLABELLED LIQUID	1	275.00 GALLON(S)	OFF-SITE	No	No

**NOTES:**

PRACTICE refers to the overall condition and hazardous waste management practice for the listed location observed during the tenant inspection.

SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous wastes.

LEAK/STAIN refers to observed leakage from and/or staining by a hazardous waste container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

**TABLE 5 - Continued**  
**HAZARDOUS WASTES**

4/27/2018

**MARINE DRIVE DISTRIBUTION CENTER I**

TENANT			BUILDING		DATE		
SOLOPOWER, INC.			400102		2/1/2017		
	18	UNLABELLED LIQUID	1	400.00 GALLON(S)	OFF-SITE	No	No
	19	WASTE COPPER SOLUTION	6	275.00 GALLON(S)	OFF-SITE	No	No
	20	INDIUM BATH	5	55.00 GALLON(S)	OFF-SITE	No	No
	21	HAZARDOUS WASTE	1	55.00 GALLON(S)	OFF-SITE	No	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION		PRACTICE			
2	LOCATION	DRUM WASH ROOM		1			
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	DISPOSAL METHOD	SEC/SPILL CON	LEAK/STAIN
	1	MIXED SOLVENT WASTE	1	55.00 GALLON(S)	OFF-SITE	Yes	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION		PRACTICE			
3	LOCATION	HAZARDOUS WASTE ACCUMULATION CAGE		1			
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	DISPOSAL METHOD	SEC/SPILL CON	LEAK/STAIN
	1	USED HEAT TRANSFER OIL	2	55.00 GALLON(S)	OFF-SITE	Yes	No
	2	USED SILVER PASTE	141	1.00 PINT(S)	OFF-SITE	Yes	No
	3	USED FLUORESCENT BULBS	1	75.00 OTHER	OFF-SITE	Yes	No
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION		PRACTICE			
4	LOCATION	CADMIUM SULFATE DEPOSITION AREA		1			
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	DISPOSAL METHOD	SEC/SPILL CON	LEAK/STAIN
	1	AMMONIA SOLUTION 28%	2	150.00 GALLON(S)	OFF-SITE	Yes	No

**NOTES:**

PRACTICE refers to the overall condition and hazardous waste management practice for the listed location observed during the tenant inspection.

SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous wastes.

LEAK/STAIN refers to observed leakage from and/or staining by a hazardous waste container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area

**TABLE 5 - Continued**  
**HAZARDOUS WASTES**

4/27/2018

**MARINE DRIVE DISTRIBUTION CENTER I**

TENANT		BUILDING		DATE			
SOLOPOWER, INC.		400102		2/1/2017			
ACTIVITY #	ACTIVITY TYPE	DESCRIPTION			PRACTICE		
5	LOCATION	WASTEWATER NEUTRALIZATION ROOM			1		
	MATERIAL #	MATERIAL NAME	QUANTITY	CAPACITY	DISPOSAL METHOD	SEC/SPILL CON	LEAK/STAIN
	1	SELENIUM/CADMIUM WASTE WATER	10	300.00 GALLON(S)	OFF-SITE	No	No
	2	HYDROGEN PEROXIDE	1	55.00 GALLON(S)	OFF-SITE	No	No
	3	SELENIUM/CADMIUM WASTE WATER	1	880.00 GALLON(S)	OFF-SITE	Yes	No
	4	CADMIUM FILTERS	1	55.00 GALLON(S)	OFF-SITE	Yes	No
	5	CADMIUM FILTERS	1	110.00 GALLON(S)	OFF-SITE	Yes	No
	6	CADMIUM-CONTAINING WASTE WATER	2	200.00 GALLON(S)	OFF-SITE	No	No

**NOTES:**

PRACTICE refers to the overall condition and hazardous waste management practice for the listed location observed during the tenant inspection.

SEC/SPILL CON refers to whether secondary containment and/or spill containment is provided for hazardous wastes.

LEAK/STAIN refers to observed leakage from and/or staining by a hazardous waste container that is considered to be significant or of potential environmental concern, typically more than 100 square feet in area